www.sigmaaldrich.com



SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006 Version 6.13 Revision Date 29.04.2023 Print Date 14.02.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifiers** Product name Boric acid for analysis EMSURE® ACS, ISO, Reag. Ph Eur : 1.00165 Product Number Catalogue No. : 100165 Brand : Millipore Index-No. : 005-007-00-2 : 01-2119486683-25-XXXX REACH No. CAS-No. : 10043-35-3

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis, Chemical production

### 1.3 Details of the supplier of the safety data sheet

	Company	:	Sigma-Aldrich Chemie GmbH Eschenstrasse 5 D-82024 TAUFKIRCHEN
1.4	Telephone Fax E-mail address <b>Emergency telephone</b>	:	+49 (0)89 6513-1130 +49 (0)89 6513-1161 technischerservice@merckgroup.com
	Emergency Phone #	:	0800 181 7059 (CHEMTREC Deutschland) +49 (0)696 43508409 (CHEMTREC weltweit)

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

**Classification according to Regulation (EC) No 1272/2008** Reproductive toxicity (Category 1B), H360FD

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Millipore- 1.00165

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 13

Pictogram	
Signal Word	Danger
Hazard statement(s) H360FD	May damage fertility. May damage the unborn child.
Precautionary statement(s) P201	) Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P308 + P313 P405	IF exposed or concerned: Get medical advice/ attention. Store locked up.
P501	Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none
	Restricted to professional users.

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### SECTION 3: Composition/information on ingredients

## 3.1 Substances

Substances			
Formula	: H3BO3		
Molecular weight	: 61,83 g/mol		
CAS-No.	: 10043-35-3		
EC-No.	: 233-139-2		
Index-No.	: 005-007-00-2		
Component		Classification	Concentration
	in the Candidate List of S ion (EC) No. 1907/2006	Substances of Very High Cor (REACH)	ncern (SVHC)
CAS-No.	10043-35-3	Repr. 1B; H360FD	<= 100 %
EC-No.	233-139-2		
Index-No.	005-007-00-2		

For the full text of the H-Statements mentioned in this Section, see Section 16.

Millipore- 1.00165

Page 2 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



#### **SECTION 4: First aid measures**

## 4.1 Description of first-aid measures

## **General advice**

Show this material safety data sheet to the doctor in attendance.

## If inhaled

After inhalation: fresh air. Call in physician.

## In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

## In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

## If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media

## Suitable extinguishing media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

## Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

## 5.2 Special hazards arising from the substance or mixture

Borane/boron oxides Not combustible. Fire may cause evolution of: boron compounds Ambient fire may liberate hazardous vapours.

## 5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

## 5.4 Further information

Prevent fire extinguishing water from contaminating surface water or the ground water system.

Millipore- 1.00165

Page 3 of 13

The life science business of Merck operates as MilliporeSigma in the US and Canada



#### **SECTION 6: Accidental release measures**

**6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid inhalation of dusts. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

#### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

#### Advice on safe handling

Work under hood. Do not inhale substance/mixture.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 6.1D: Non-combustible, acute toxic Cat.3 / toxic hazardous materials or hazardous materials causing chronic effects

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with workplace control parameters

#### **Derived No Effect Level (DNEL)**

	Application Area	Routes of	Health effect	Value
		exposure		
	Worker DNEL, longterm	inhalation	Systemic effects	8,3 mg/m3

Millipore- 1.00165

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 4 of 13

Worker DNEL, longterm	dermal	Systemic effects	
Consumer DNEL, longterm	inhalation	Systemic effects	4,15 mg/m3
Consumer DNEL, longterm	dermal	Systemic effects	
Consumer DNEL, longterm	oral	Systemic effects	
Consumer DNEL, acute	oral	Systemic effects	

#### Predicted No Effect Concentration (PNEC)

Compartment	Value	
Fresh water	2,02 mg/l	
Sea water	2,02 mg/l	
Aquatic intermittent release	13,7 mg/l	
Sewage treatment plant	10 mg/l	
Soil	5,4 mg/kg	

#### 8.2 Exposure controls

#### Personal protective equipment

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Skin protection**

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

This recommendation applies only to the product stated in the safety data sheet, supplied by us and for the designated use. When dissolving in or mixing with other substances and under conditions deviating from those stated in EN374 please contact the supplier of CE-approved gloves (e.g. KCL GmbH, D-36124 Eichenzell, Internet: www.kcl.de).

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:KCL 741 Dermatril® L

#### **Body Protection**

protective clothing

Millipore- 1.00165

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 5 of 13



#### **Respiratory protection**

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system. Recommended Filter type: Filter type P3

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

#### **Control of environmental exposure**

Do not let product enter drains.

#### SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

	•	
a)	Physical state	solid
b)	Color	white
c)	Odor	odorless
d)	Melting point/freezing point	Melting point: > 1.000 °C - Regulation (EC) No. 440/2008, Annex, A.1
e)	Initial boiling point and boiling range	No data available
f)	Flammability (solid, gas)	The product is not flammable Flammability (solids)
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	Not applicable
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	рН	5,1 at 1,8 g/l at 25 °C
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	49,2 g/l at 20 °C - Regulation (EC) No. 440/2008, Annex, A.6- completely soluble
n)	Partition coefficient: n-octanol/water	log Pow: -1,09 at 22 °C - Regulation (EC) No. 440/2008, Annex, A.8 - Bioaccumulation is not expected.
o)	Vapor pressure	< 0,1 hPa at 25 °C - Regulation (EC) No. 440/2008, Annex, A.4
p)	Density	1,48 g/cm3 at 23 °C - OECD Test Guideline 109

Millipore- 1.00165

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 13

Relative density

- q) Relative vapor density
- r) Particle No data available characteristics
- s) Explosive properties No data available
- t) Oxidizing properties none

## 9.2 Other safety information

Bulk density ca.400 - 600 kg/m3

Dissociation constant 8,94 at 20 °C

- OECD Test Guideline 112

### SECTION 10: Stability and reactivity

## **10.1 Reactivity**

No data available

### **10.2** Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

### **10.3 Possibility of hazardous reactions**

Risk of explosion with: Acetic anhydride Violent reactions possible with: strong oxidising agents Bases

- **10.4 Conditions to avoid** no information available
- **10.5 Incompatible materials** Potassium, Acid anhydrides
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

### SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - male and female - 3.450 mg/kg Remarks: (ECHA) LC50 Inhalation - Rat - male and female - 4 h - > 2,12 mg/l - dust/mist

Millipore- 1.00165

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 13

(OECD Test Guideline 403) LD50 Dermal - Rabbit - male and female - > 2.000 mg/kg Remarks: (ECHA)

## Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h Remarks: (ECHA)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: No eye irritation - 24 h (OECD Test Guideline 405)

#### **Respiratory or skin sensitization**

Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406)

#### Germ cell mutagenicity

Test Type: sister chromatid exchange assay Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Result: negative Remarks: (ECHA) Test Type: Ames test Test system: S. typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: In vitro mammalian cell gene mutation test Test system: mouse lymphoma cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 **Result:** negative Test Type: Mutagenicity (mammal cell test): Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 482 Result: negative

Test Type: Micronucleus test Species: Mouse

Application Route: Oral Method: OECD Test Guideline 474 Result: negative

#### Carcinogenicity No data available

**Reproductive toxicity** May damage fertility. May damage the unborn child.

Millipore- 1.00165

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 13



#### **Specific target organ toxicity - single exposure** No data available

Specific target organ toxicity - repeated exposure No data available

**Aspiration hazard** No data available

## **11.2 Additional Information**

## **Endocrine disrupting properties**

#### Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - Rat - male and female - Oral - 2 yr - NOAEL (No observed adverse effect level) - 17,5 mg/kg - LOAEL (Lowest observed adverse effect level) - 58,5 mg/kg Remarks: (ECHA)

Toxicity reported for borates in humans: ingestion or absorption may cause nausea, vomiting, diarrhea, abdominal cramps, anderythematous lesions on the skin and mucous membranes. Other symptoms include: circulatory collapse, tachycardia, cyanosis, delirium, convulsions, and coma. Death has been reported to occur in infants from less than 5 grams and in adults from 5 to 20 grams.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

After absorption of large quantities:

Vomiting Nausea Diarrhea agitation, spasms Tiredness ataxia (impaired locomotor coordination) drop in temperature

This substance should be handled with particular care.

Liver - Irregularities - Based on Human Evidence

### SECTION 12: Ecological information

### 12.1 Toxicity

Toxicity to fish

static test LC50 - Pimephales promelas (fathead minnow) - 79,7 mg/l - 96 h

Millipore- 1.00165

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 13

(US-EPA)

Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 133 mg/l - 48 h Remarks: (ECOTOX Database)
Toxicity to algae	static test EC50 - Pseudokirchneriella subcapitata (green algae) - 52,4 mg/l - 74,5 h (OECD Test Guideline 201)

#### 12.2 Persistence and degradability

The methods for determining biodegradability are not applicable to inorganic substances.

#### **12.3 Bioaccumulative potential** No data available

## 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

**Endocrine disrupting properties** 

12.6

#### Product:

Assessment

# : The substance/mixture does not contain components

considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### 12.7 Other adverse effects


Discharge into the environment must be avoided.

### SECTION 13: Disposal considerations

#### **13.1 Waste treatment methods**

#### Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.



<b>14.4 Packaging group</b> ADR/RID: -	IMDG: -	IATA: -			
14.5 Environmental hazards ADR/RID: no	IMDG Marine pollutant:	no IATA: no			
<ul> <li><b>14.6 Special precautions for user</b>         No data available         <b>Further information</b>         Not classified as dangerous in the meaning of transport regulations.     </li> </ul>					
SECTION 15: Regulatory infor	mation				
<b>15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture</b> This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.					
Authorisations and/or re REACH - Candidate List of S		oric acid			

High Concern for Authorisation (Article 59). REACH - Restrictions on the manufacture, : boric acid placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

#### **Other regulations**

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

#### **15.2 Chemical Safety Assessment**

A Chemical Safety Assessment has been carried out for this substance.

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H360FD May damage fertility. May damage the unborn child.

Millipore- 1.00165

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 11 of 13



#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIOC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 1.00165

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 12 of 13

Millipore- 1.00165

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 13 of 13

