Sigma-Aldrich

SAFETY DATA SHEET according to Regulation (EC) No. 1907/2006

Version 6.8 Revision Date 03.01.2024 Print Date 22.02.2024 GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking **Product identifiers** 1.1 Product name · Pyrazole : P56607 Product Number Brand : Aldrich REACH No. : A registration number is not available for this substance as the substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline. CAS-No. : 288-13-1 Relevant identified uses of the substance or mixture and uses advised against 1.2 Identified uses : Laboratory chemicals, Manufacture of substances 1.3 Details of the supplier of the safety data sheet Sigma-Aldrich Chemie GmbH Company : Eschenstrasse 5 D-82024 TAUFKIRCHEN : +49 (0)89 6513-1130 Telephone Fax +49 (0)89 6513-1161 : technischerservice@merckgroup.com E-mail address : 1.4 **Emergency telephone** Emergency Phone # : 0800 181 7059 (CHEMTREC Deutschland) +49 (0)696 43508409 (CHEMTREC weltweit)

SECTION 2: Hazards identification

2.1	Classification of the substance or Acute toxicity, (Category 4)		
	Acute toxicity, (Category 3)	H311: Toxic in contact with skin.	
	Skin irritation, (Category 2)	H315: Causes skin irritation.	

Aldrich- P56607

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 1 of 13

Serious eye damage, (Category 1)

Specific target organ toxicity - repeated exposure, (Category 2)

H318: Causes serious eye damage.

H373: May cause damage to organs through prolonged or repeated exposure.

Long-term (chronic) aquatic hazard, (Category 3) H412: Harmful to aquatic life with long lasting effects.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram

	\vee \vee \vee	
Signal Word	Danger	
Hazard Statements		
H302	Harmful if swallowed.	
H311	Toxic in contact with skin.	
H315	Causes skin irritation.	
H318 H373	Causes serious eye damage.	
П373	May cause damage to organs through prolonged or repeated exposure.	
H412	Harmful to aquatic life with long lasting effects.	
Precautionary Statements		
P273	Avoid release to the environment.	
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.	
P301 + P312 + P330	IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.	
P302 + P352 + P312	IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell.	
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.	
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.	
P314	Get medical advice/ attention if you feel unwell.	
Supplemental Hazard Statements	none	

Reduced Labeling (<= 125 ml)

Pictogram



Signal Word	Danger
Hazard Statements	
H311	Toxic in contact with skin.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Aldrich- P56607

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 2 of 13

Precautionary StatementsWear protective gloves/ protective clothing/ eye protection/ face
protection.P302 + P352 + P312IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/
doctor if you feel unwell.P305 + P351 + P338 +
P310IF IN EYES: Rinse cautiously with water for several minutes.
Remove contact lenses, if present and easy to do. Continue
rinsing. Immediately call a POISON CENTER/ doctor.Supplemental Hazardnone

Statements

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1	Substances Synonyms	: 1,2-Diazole		
	Formula Molecular weight CAS-No. EC-No.	: C ₃ H ₄ N ₂ : 68,08 g/mol : 288-13-1 : 206-017-1		
	Component		Classification	Concentration
	pyrazole			
	CAS-No. EC-No.	288-13-1 206-017-1	Acute Tox. 4; Acute Tox. 3; Skin Irrit. 2; Eye Dam. 1; STOT RE 2; Aquatic Chronic 3; H302, H311, H315, H318, H373, H412	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

Aldrich- P56607

Page 3 of 13



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water Foam Carbon dioxide (CO2) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Carbon oxides Nitrogen oxides (NOx) Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

Aldrich- P56607

Page 4 of 13



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.
- **6.4** Reference to other sections For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Dry. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Aldrich- P56607

Page 5 of 13



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0,11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

protective clothing

Respiratory protection

required when dusts are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

Aldrich- P56607

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 6 of 13

The entrepeneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical properties

	•	, , ,
a)	Physical state	crystalline
b)	Color	colorless
c)	Odor	No data available
d)	Melting point/freezing point	Melting point/range: 67 - 70 °C - lit.
e)	Initial boiling point and boiling range	186 - 188 °C - lit.
f)	Flammability (solid, gas)	No data available
g)	Upper/lower flammability or explosive limits	No data available
h)	Flash point	No data available
i)	Autoignition temperature	No data available
j)	Decomposition temperature	No data available
k)	рН	No data available
I)	Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m)	Water solubility	1.000 g/l
n)	Partition coefficient: n-octanol/water	log Pow: 0,33 at 25 °C - OECD Test Guideline 117
0)	Vapor pressure	0,21 hPa at 20 °C - OECD Test Guideline 104 0,31 hPa at 25 °C - OECD Test Guideline 104 1,92 hPa at 50 °C - OECD Test Guideline 104
p)	Density	1,209 g/cm3 at 20 °C - OECD Test Guideline 109
	Relative density	No data available
q)	Relative vapor density	No data available
r)	Particle characteristics	No data available

Aldrich- P56607

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 7 of 13

- s) Explosive properties No data available
- t) Oxidizing properties none
- 9.2 Other safety information No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature).

10.3 Possibility of hazardous reactions No data available

10.4 Conditions to avoid

no information available

- **10.5 Incompatible materials** acids, Oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 1.010 mg/kg Remarks: Behavioral:Coma. Liver:Hepatitis (hepatocellular necrosis), zonal. Liver:Fatty liver degeneration. Symptoms: Shortness of breath, Cough, mucosal irritations, Inhalation may lead to the formation of oedemas in the respiratory tract. LC50 Inhalation - Rat - male and female - 4 h - > 0,37 mg/l - vapor

(OECD Test Guideline 403) LD50 Dermal - Rabbit - male and female - 400 mg/kg Remarks: (ECHA)

Skin corrosion/irritation

Skin - Rabbit Result: Irritating to skin.

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive to eyes

Aldrich- P56607

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 8 of 13



Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: gene mutation test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 476 Result: negative Test Type: Micronucleus test Test system: Chinese hamster ovary cells Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 487 Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure. - spleen, Thyroid

Aspiration hazard No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Repeated dose toxicity - No data available RTECS: UQ4900000

Teratogenic in rats, producing a high incidence of ocular and urinary bladder anomalies., Rats fed pyrazole for 24 days showed:, hyperbilirubinemia, retarded growth, Hypoglycemia, mitochondrial dysfunction, Increased:, liver weight, Rats dying after lethal doses (6-11 days) showed extensive centrolobular necrosis with inflammatory reactions in the parenchyma, and fatty changes in surviving cells.

Aldrich- P56607

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 9 of 13

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Handle in accordance with good industrial hygiene and safety practice.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	static test LC50 - Leuciscus idus (Golden orfe) - ca. 2.200 mg/l - 96 h Remarks: (ECHA)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h Remarks: (ECHA)
Toxicity to algae	EbC50 - green algae - 26,5 mg/l - 96 h Remarks: (ECOTOX Database)

12.2 Persistence and degradability

Biodegradability Result: < 15 % - Partially biodegradable.

- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties <u>Product:</u>

Assessment

: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

No data available

Aldrich- P56607

Page 10 of 13



SECTION 13: Disposal considerations

13.1	Waste treatment methods
	No data available

SECTION 14: Transport information			
14.1 UN number ADR/RID: 2811	IMDG: 2811	IATA: 2811	
14.2 UN proper shipping name ADR/RID: TOXIC SOLID, ORGANIC, N.O.S. (pyrazole) IMDG: TOXIC SOLID, ORGANIC, N.O.S. (pyrazole) IATA: Toxic solid, organic, n.o.s. (pyrazole)			
14.3 Transport hazard class(ADR/RID: 6.1	(es) IMDG: 6.1	IATA: 6.1	
14.4 Packaging group ADR/RID: III	IMDG: III	IATA: III	
14.5 Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no	
14.6 Special precautions for Tunnel restriction code			
Further information	: No data available		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H315	Causes skin irritation.

Aldrich- P56607

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 11 of 13



- H318 Causes serious eye damage.
- H373 May cause damage to organs through prolonged or repeated exposure.
- H412 Harmful to aquatic life with long lasting effects.

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the

Aldrich- P56607

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page 12 of 13

document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Aldrich- P56607

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 13 of 13